


CPC-2000

Electronic Scale

CPC-2000

Stainless Steel Portioning Scale



by
Yamato

CPC-2000

Electronic Scale

All Stainless Steel LED Display

Rechargeable Battery Included

Application

General, legal for trade, portion control scale with all stainless steel construction. Portable, wireless design, ideal for use in the poultry, seafood and meat processing industries. Easy to read, large LED display.

Features


- ◆ Four Weighing Modes
lb, kg, oz, lb/oz
(lb/oz NOT Legal for Trade)
- ◆ All Stainless Steel Construction
- ◆ Large LED Display
- ◆ Rechargeable Battery Operation
- ◆ Auto Zero Setting Mechanism
- ◆ Initial Zero Setting Mechanism
- ◆ Semi Zero Setting Mechanism
- ◆ Auto Shut-Off
(Able / Disable Selectable)
- ◆ Simple Key Functions
On/Off/Zero, Net/Gross,
Tare and Unit Toggle
- ◆ LED Indicators
kg, lb, oz, Net, Gross
and Recharge
- ◆ Large Removable Stainless Steel
Platform
- ◆ AC Adaptor
- ◆ USDA Accepted

Specification


Model	CPC-2000	
Accuracy Class	Class III 2000 Divisions	
Certificate of Conformance #	Pending	
Capacity and Division	4 lb x 0.002 lb	10 lb x 0.005 lb
	2 kg x 0.001 kg	4 kg x 0.002 kg
lb/ oz NOT Legal for Trade	80 oz x 0.05 oz	160 oz x 0.1 oz
	5 lb x 0.05 oz	10 lb x 0.1 oz
Weighing System	Strain Gauge Load Cell	
Platform	8.5" x 8.5" (215 mm x 215 mm); Stainless Steel	
Indicator	LED: 5 Digits plus indicators Character size: 0.6" x 0.3" (14 mm x 7 mm)	
Power Supply	Rechargeable battery 6 Volt AC Adaptor (included)	
Battery Life	36 Hours of Continuous Use (8 hours to recharge)	
Operating Temp.	14°F ~ 104°F (-10° C ~ 40° C)	
Shipping Weight	10 lb (4.5 kg)	

All weights and dimensions are approximate. Dimensions are given in inches and (millimeters).

Dimensions



Indicator / Keypad



Yamato
www.YamatoCorp.com

YAMATO CORPORATION
1775 S. Murray Blvd.
Colorado Springs, CO 80916 USA
Tel (719) 591-1500 Fax (719) 591-1045

YAMATO TECH CORPORATION
#112-19425 Langley By-Pass
Surrey, B.C. V3S 6K1 Canada
Tel (604) 533-2338 Fax (604) 533-0827